

SECTION A

INDEX TO VOLUME 19

Authors

- Babbitt, J. D.**—The diffusion of water vapour through a slit in an impermeable membrane, 42.
- Brown, W. W.**—See Langstroth, G. O.
- Charnley, F.**—Some properties of a composite, bivariate distribution in which the means of the component normal distributions are linearly related, 139.
- Clark, A. L. and Katz, L.**—Resonance method of measuring the ratio of the specific heats of a gas, C_p/C_v . III. Sulphur dioxide and nitrous oxide, 111.
- Douglas, A. E.**—New electronic transitions of the BH molecule, 27.
- Harrington, E. L. and Stewart, J. L.**—The capture cross-section for thermal neutrons of cadmium, lithium⁶, boron¹⁰, barium, mercury and hydrogen, 33.
- Herzberg, G. and Hushley, W.**—Band spectrum and structure of the BCl molecule, 127.
- Hushley, W.**—See Herzberg, G.
- Katz, L.**—See Clark, A. L.
- Langstroth, G. O., Newbound, K. B., and Brown, W. W.**—A direct reading microphotometer, 103.
- Le Caine, H. and Waghorne, J. H.**—A new ionization amplifier, 21.
- Newbound, K. B.**—See Langstroth, G. O.
- Osmond, H. L.**—The Chinook wind east of the Canadian Rockies, 57.
- Penner, C. M.**—The effects of tropospheric and stratospheric advection on pressure and temperature variations, 1.
- Robb, C. A.**—Recompression phenomena in steam nozzles. Part I, 67. Part II, 87.
- Ruedy, R.**—Absorption of light and heat radiation by small spherical particles. I. Absorption of light by carbon particles, 117.
- Stewart, J. L.**—See Harrington, E. L.
- Waghorne, J. H.**—See Le Caine, H.

SECTION A

INDEX TO VOLUME 19

Subjects

- Absorption of light and heat radiation by small spherical particles.** I. Absorption of light by carbon particles, 117.
- Air,** See Atmosphere.
- Aluminum foil,** Diffusion of water vapour through a slit in, 49.
- Amplifier,** Ionization, A new, 21.
- Apparatus**
A direct reading microphotometer, 103.
A new ionization amplifier, 21.
- Atmosphere,** Effects of tropospheric and stratospheric advection on pressure and temperature variations in the, 1.
- Band spectrum** and structure of the BCl molecule, 127.
- Barium**
Capture cross-section for thermal neutrons of, 33.
- BCl molecule,** Band spectrum and structure of, 127.
Vibrational analysis, 128.
Rotational analysis, 132.
Molecular constants and comparisons with other molecules, 135.
- BH molecule**
Analysis of bands at 3415, 3396 and 3099 Å, 28, 29.
Electronic structure of, 30.
New electronic transitions of, 27.
- Boron¹⁰**
Capture cross-section for thermal neutrons of, 33.
- Boron chloride molecule,** See BCl molecule.
- Boron hydride molecule,** See BH molecule.
- Building materials,** See Diffusion of water vapour through a slit in an impermeable membrane (aluminum).
- Cadmium**
Capture cross-section for thermal neutrons of, 33.
- Canadian Rockies,** Chinook wind east of, 57.
- Capture cross-section** for thermal neutrons of cadmium, lithium⁶, boron¹⁰, barium, mercury, and hydrogen, 33.
- Carbon black**
particles, Size of, 122.
See also Carbon particles.
- Carbon particles,** Absorption of light by, 117.
- Chinook wind** east of the Canadian Rockies 57.
- Composite bivariate distribution** in which the means of the component normal distributions are linearly related, 139.
Apparent correlation, 144.
Experimental distribution, 145.
Variance around line of relation, 140.
- Cross-section, Capture,** for thermal neutrons of cadmium, lithium⁶, boron¹⁰, barium, mercury, and hydrogen, 33.
- Diffusion** of water vapour through a slit in an impermeable membrane (aluminum), 42.
- Distribution, Statistical,** See Composite bivariate distribution.
- Electronic structure** of the BH molecule, 30.
- Electronic transitions** of the BH molecule, New, 27.
- Equilibrium recompression in steam nozzles,** 67, 87.
- Gas,** Specific heats of, C_p/C_v , Resonance method of measuring ratio of, 111.
- Heat radiation,** See under Absorption.
- Hydrogen,** Capture cross-section for thermal neutrons of, 33.
- Ionization amplifier,** A new, 21.
- Latent recompression in steam nozzles,** 67.
- Light**
Absorption of, by small carbon particles, 117.
Propagation of plane wave of, past a spherical particle, 117.
- Lithium⁶,** Capture cross-section for thermal neutrons of, 33.
- Mercury,** Capture cross-section for thermal neutrons of, 33.

Meteorology

Chinook wind east of the Canadian Rockies, 57.

Effects of tropospheric and stratospheric advection on pressure and temperature variations, 1.

Microphotometer, A direct reading, 103.

Moisture, Diffusion of, through a slit in an impermeable membrane (aluminum), 42.

Molecular constants. See under BCl molecule.

Neutrons, Thermal, of cadmium, lithium⁶, boron¹⁰, barium, mercury, and hydrogen, Capture cross-section for, 33.

Nitrous oxide, Ratio of specific heats of, by resonance method, 111, 114.

Nozzles, Steam

Converging-diverging, Calculation of recompression pressure in, 94.

Losses in, 98.

Recompression phenomena in, 67, 87.

Particle(s)

Carbon, Absorption of light by, 117.

Spherical, Propagation of a plane wave of light past a, 117.

Carbon black, Size of, 122.

Photoelectric microphotometer, A direct reading, 103.

Pressure variations, Effects of tropospheric and stratospheric advection on, 1.

Recompression

effects, 93.

phenomena in steam nozzles, 67, 87.

pressure in a converging-diverging nozzle, Calculation of, 94.

Prevention of, 93.

Relation between two variates subject to error. See Composite bivariate distribution.

Resonance method of measuring the ratio of the specific heats of a gas, C_p/C_v .

III. Sulphur dioxide and nitrous oxide, 111.

Rotational analysis. See under BCl molecule.

Shock recompression in steam nozzles, 67.

Specific heats of a gas, C_p/C_v , Resonance method of measuring ratio of, 111.

Spectrographic analysis, A direct reading photoelectric microphotometer for use in, 103.

Spectrum, Band, and structure of the boron chloride (BCl) molecule, 127.

Statistics. See Composite bivariate distribution.

Steam nozzles, Recompression phenomena in, 67, 87.

Stratospheric advection, See under Meteorology.

Structure and band spectrum of the boron chloride (BCl) molecule, 127.

Sulphur dioxide, Ratio of specific heats of, C_p/C_v , by resonance method, 111.

Temperature variations in the atmosphere, Effects of tropospheric and stratospheric advection on, 1.

Thermal neutrons, See Neutrons, Thermal.

Tropospheric advection, See under Meteorology.

Vapour barriers, See Diffusion.

Vena contracta recompression in steam nozzles, 67.

Vibrational analysis, See under BCl molecule.

Water vapour, Diffusion of, through a slit in an impermeable membrane (aluminum), 42.

Wind, Chinook, east of the Canadian Rockies, 57.



CANADIAN JOURNAL OF RESEARCH

VOLUME 19


1941

SECTION B



CANADA

Published by the
**NATIONAL
RESEARCH COUNCIL**
of CANADA



SECTION B

INDEX TO VOLUME 19

Authors

- Ashley, R. W.—See Campbell, A. N.
- Barré, R. and Piché, L.—Contribution à l'étude des semicarbazides δ -substituées. I. Synthèse de quelques dérivés, 158.
- Bigelow, H. E.—See Linton, E. P.
- Brickman, L., Hawkins, W. L. and Hibbert, H.—Synthesis of veratroyl acetaldehyde and influence of a hydroxyl group on the reactivity of the para-carbonyl group, 24.
- Campbell, A. J. R.—See Campbell, A. N.
- Campbell, A. N.—The system naphthalene-benzene considered as an ideal solution, 143.
- Campbell, A. N. and Campbell, A. J. R.—The system naphthalene-*p*-nitrophenol: an experimental investigation of all the variables in an equation of the freezing point curve, 73.
- Campbell, A. N., Yaffe, L., Wallace, W. G. and Ashley, R. W.—The ternary alloy system: aluminium-lead-silver, 212.
- Cave-Browne-Cave, G. and Clark, R. H.—The development of a preservative for gill nets, 241.
- Chapman, R. A.—See McFarlane, W. D.
- Charette, L. P.—See Gagnon, P. E.
- Clark, R. H.—See Cave-Browne-Cave, G.
- Cloutier, L.—See Gagnon, P. E.
- Coffin, C. C. and Dingle, J. R.—A new low pressure gauge, 129.
- Collier, H. B.—A trypsin-inhibiting fraction of *Ascaris*, 91.
- Crampton, E. W. and Purdy, T. L.—Pasture studies. XIX. A simplified apparatus for the continuous extraction of moisture and fat from biological materials, 116.
- Delorme, J.—See Riou, P.
- Dingle, J. R.—See Coffin, C. C.
- Gagnon, P. E. and Charette, L. P.—Contribution to the study of *cis-trans* isomers derived from 3,3-diphenyl-1-hydrindone. Synthesis of 3,3-diphenylhydrindene and some of its derivatives, 275.
- Gagnon, P. E., Cloutier, L., and Martineau, R.—Contribution to the study of the precipitation of carbonates, borates, silicates, and arsenates, 179.
- Gallagher, G.—See Manske, R. F. H.
- Harris, W. E.—See Walker, O. J.
- Hawkins, W. L.—See Brickman, L.
- Heatley, A. H.—Reaction rates of the oxidation of liquid acetaldehyde, 261.
- Hibbert, H.—See Brickman, L.
- Hlynka, I.—See Hunter, G.
- Holder, C. H.—See Linton, E. P.
- Hunter, G. and Hlynka, I.—A new indigoid formed from the glyoxaline (iminazole) nucleus; 305.

- Hunter, G. and Nelson, J. A.—On 4- (or 5-) aminoglyoxaline (iminazole), 296.
- Hunter, G. and Raragosky, T. M.—On the determination of urinary glyoxalines (iminazoles), 310.
- Kay, K.—Determination of T.N.T. (2, 4, 6-trinitrotoluene) in air, 86.
- Larocque, G. L. and Maass, O.—The mechanism of the alkaline delignification of wood, 1.
- Larose, P.—See Leger, F.
- Leger, F.—See Manske, R. F. H.
- Leger, F. and Larose, P.—Pectic substances in cotton, 61.
- Linton, E. P., Holder, C. H. and Bigelow, H. E.—The oxidation of *p*-nitro-*p*-hydroxyazobenzene and some related compounds with hydrogen peroxide, 132.
- Lipkind, M. K.—See Pett, L. B.
- Lucas, C. C.—See Seemann, C. von.
- Maass, O.—See Larocque, G. L., Schneider, W. G.
- McCarthy, J. L.—See Schwartz, H.
- McClure, F.—See Thornton, H. R.
- McFarlane, W. D.—See Parker, W. E.
- McFarlane, W. D. and Chapman, R. A.—Pasture studies. XXI. An improved thiochrome method for the estimation of vitamin B₁, 136.
- Manske, R. F. H.—A new source of cocositol, 34.
- Manske, R. F. H., Leger, F., and Gallagher, G.—A further modification of the Skraup synthesis of quinoline, 318.
- Marion, Léo—The oxidation of pyrolytic distyrene, 205.
- Martineau, R.—See Gagnon, P. E.
- Neish, A. C.—See Parker, W. E.
- Nelson, J. A.—See Hunter, G.
- Parker, W. E., Neish, A. C., and McFarlane, W. D.—Studies on antioxidant activity. I. Estimation of antioxidant activity in stabilizing vitamin A in oils, 17.
- Pett, L. B. and Lipkind, M. K.—Factors affecting the Pett visual test for vitamin A deficiency, 99.
- Piché, L.—See Barré, R.
- Purdy, T. L.—See Crampton, E. W.
- Raragosky, T. M.—See Hunter, G.
- Riou, P. and Delorme, J.—The analytical problem of maple sap products, 68.
- Rossi, M.—See Walker, O. J.
- Sandén, R. B.—See Thornton, H. R.
- Schneider, W. G.—See Thorvaldson, T.
- Schneider, W. G. and Maass, O.—Phase equilibria in the two component system, ethylene-propylene, in the critical temperature region, 231.
- Schneider, W. G. and Thorvaldson, T.—The dehydration of tricalcium aluminate hexahydrate, 123.
- Schwartz, H. and McCarthy, J. L.—Synthesis of 4-hydroxy-3-methoxymandelamide, 150.
- Seemann, C. von, and Lucas, C. C.—Chemotherapeutic studies in the thiophene series. I. The synthesis of 2-sulphanilamido-thiophene, 291.

- Thomas, J. F. J.**—The effect of dishwashing compounds on aluminum, 153.
- Thornton, H. R., McClure, F., and Sandin, R. B.**—The reduction of resazurin in milk and aqueous solutions, 39.
- Thorvaldson, T.**—See Schneider, W. G.
- Thorvaldson, T. and Schneider, W. G.**—The composition of the "5 : 3" calcium aluminate, 109.
- Walker, O. J., Harris, W. E. and Rossi, M.**—Selenium in soils, grains, and plants in Alberta, 173.
- Wallace, W. G.**—See Campbell, A. N.
- White, W. Harold**—See Wolochow, D.
- Wolochow, D.**—Thermal studies on asbestos.
- II. Effect of heat on the breaking strength of asbestos tape and glass fibre tape, 56.
- III. Effect of heat on the breaking strength of asbestos cloth containing cotton, 65.
- Wolochow, D. and White, W. Harold**—Thermal studies on asbestos. I. Effect of temperature and time of heating on loss in weight and resorption of moisture, 49.
- Yaffe, L.**—See Campbell, A. N.

SECTION B

INDEX TO VOLUME 19

Subjects

- Absorption**, See Sorption.
- Acetaldehyde**, Liquid, Reaction rates of the oxidation of, 261.
- Acetaldehyde**
Vanilloyl-, Attempted synthesis of, 29.
Veratroyl-, Synthesis of, 24.
- Acetone**
-2,4-dinitrophenyl-4'-semicarbazone, 164.
-*p*-nitrobenzyl-4-semicarbazone, 163.
-*p*-nitrophenyl-4-semicarbazone, 162.
-*p*-nitroxenyl-4-semicarbazone, 163.
-semicarbazone, Condensation of, with *p*-nitraniline, 161.
- Acetovanillone**
 α -Cyano-, Stephen reduction of, 31.
Methoxymethyl-, Condensation with ethyl formate, 31.
- Acetovanillone acetate**
Condensation with ethyl formate, 31.
 α -Cyan-,
Preparation, 30.
Stephen reduction of, 30.
- Acetoveratrone**
Condensation with ethyl formate, 32.
 α -Vinyl-, Ozonization of, 30.
- Adsorption**, See Sorption.
- Air**, Determination of T.N.T. (2,4,6-trinitrotoluene) in, 86.
- Alkali**,
Rate of delignification of sprucewood with lithium, barium, sodium, potassium, and tetra-ethyl ammonium hydroxides, 1.
- Alkaline delignification** of wood, Mechanism of, 1.
- Alloy system: aluminium-lead-silver**, 212.
- Allyl magnesium bromide**, See Magnesium compounds.
- Aluminium-lead-silver system**, 212.
- Aluminum**, Effect of dishwashing compounds on, 153.
- Aminoazobenzene**, See under Azobenzene.
- Ammonium compounds, Substituted**,
Tetra-ethyl ammonium hydroxide, See under Alkali.
- Ammonium oxalate extraction of cotton**,
Effect on pectin content and fluidity, 63.
- Analysis of maple sap products**, 68.
- Antioxidant activity**, Studies on, I. Estimation of antioxidant activity in stabilizing vitamin A in oils, 17.
- Apparatus**
Heat conductivity, low pressure gauge based on rate of sublimation of solid carbon dioxide, 129.
Simplified, for continuous extraction of moisture and fat from biological materials, 116.
- Arsenates, Lead**, Precipitation of, 179.
- Asbestos**, Thermal studies on
I. Effect of temperature and time of heating on loss in weight and resorption of moisture, 49.
II. Effect of heat on the breaking strength of asbestos tape and glass fibre tape, 56.
III. Effect of heat on the breaking strength of asbestos cloth containing cotton, 65.
- Ascaris**, Trypsin-inhibiting fraction of, 91.
- Astragalus bisulcatus** and *A. pectinatus* plants, Selenium in, in Alberta, 173.
- Azobenzene**
p-Amino-, *p*-hydroxy- and *p*-nitro-*p'*-hydroxy-, Oxidation of, with hydrogen peroxide, 132.
- Bactericides**, Effect of, in preservatives for gill nets, 252.
- Bacteriology**
Reduction of resazurin in milk and aqueous solutions, 39.
- Barium hydroxide**, See under Alkali.
- Benzaldehyde**, and derivatives, Condensation of, with 3,3,-diphenyl-1-hydrindone, 275.
- Benzene**
-naphthalene system considered as an ideal solution, 143.
-4-sulphonyl chloride, 1-Acetylamino-, Condensation with free 2-aminothiophene, 292.
1,3,5-Triphenyl-, Formation of, in pyrolysis of polystyrene, 205.

Beryllium carbonate, Precipitation of, 186.

Beryllium chromate, Precipitation of, 186.

Borates, Zinc, Precipitation of, 187.

Breads, Special, Comparison of methods of extracting thiamine from, 141.

Butyric acid, α -Hydroxy- α - γ -diphenyl-,
Formation of, in oxidation of pyrolytic distyrene, 205.

Oxidation of, 210.

Butyrolactone, α - γ -Diphenyl-, 210.

Cadmium carbonates, Precipitation of, 181.

"5 : 3" Calcium aluminate, Composition of the, 109.

Calycanthus floridus, Cocositol from, 34.

Calycanthus glaucus, Cocositol from, 34.

Carbonates, Beryllium, cadmium, cobalt, and nickel, Precipitation of, 179.

Carbon dioxide, Solid, A heat-conductivity, low-pressure gauge based on rate of sublimation of, 129.

α -Cellulose content of cotton, Effect of extraction with sodium carbonate, ammonium oxalate, and hydrochloric acid on, 63, 64.

Chemotherapeutic studies in the thiophene series.

1. The synthesis of 2-sulphanilamido-thiophene, 291.

Chlorinated rubbers, See Rubbers, Chlorinated.

Chrysotile asbestos mill fibre, Effect of temperature and time of heating on loss in weight of, and resorption of moisture by, 49.

Claisen-Schmidt condensation of acetovanillone with ethyl formate, 32.

Cloth, Asbestos, containing cotton, Effect of heat on breaking strength of, 65.

Cobalt carbonates, Precipitation of, 182.

Cocositol from *Calycanthus floridus* and *C. glaucus*, a new source, 34.

Cocositol hexa-acetate, 36.

Copper naphthenate, Effect of, in preservatives for gill nets, 253.

Copper silicates, Precipitation of, 188.

Copper sulphate, Effect of, in preservatives for gill nets, 253.

Cotton

Effect of heat on breaking strength of asbestos cloth containing, 65.

Pectic substances in, 61.

Critical temperature region, Phase equilibria in the two component system, ethylene-propylene, in the, 231.

Dehydration of tricalcium aluminate hexahydrate, 123.

Delignification, Alkaline, of wood, Mechanism of, 1.

Densities of

liquid *p*-nitrophenol, of liquid naphthalene, and of mixtures of the two at 117.3° C., 77.

naphthalene-benzene mixtures at 79.5° C., 147.

system ethylene-propylene, 231.

Dibutyl phthalate, Use of, as plasticizer in preservatives for gill nets, 241.

Diglyoxaline-4, 5,5'-Hydroxy-, Preparation of, 307.

5,5-Diglyoxalone-4, Preparation of, 308.

Dishwashing compounds (sodium carbonate, sodium metasilicate, sodium pyrophosphate, trisodium phosphate), Effect of, on aluminum, 153.

Distyrene, Pyrolytic, Oxidation of, 205.

Enzymes

A trypsin-inhibiting fraction of *Ascaris*, 91.

Equilibria, Phase, in the two component system, ethylene-propylene, in the critical temperature region, 231.

Ethylene-propylene system, Phase equilibria in, in the critical temperature region, 231.

Eutectic, Ternary, system: aluminium-lead-silver, 212, 217, 226.

Extraction

Simplified apparatus for continuous extraction of moisture and fat from biological materials, 116.

methods for moisture and lipids in biological materials, Comparison of, 120.

Fats, Simplified apparatus for continuous extraction of moisture and fat from biological materials, 116.

Fibre tape, Glass, and asbestos tape, Effect of heat on breaking strength of, 56.

Fish nets, See Gill nets.

Fluidity of cotton, Effect of extraction with sodium carbonate, ammonium oxalate, and hydrochloric acid on, 63, 64.

Formic acid, Ethyl ester, Condensation with

- acetovanillone acetate, 31.
- methoxymethyl acetovanillone, 31.
- acetoatrone, 32.

Freezing point curve, system naphthalene-*p*-nitrophenol: an experimental investigation of all the variables in an equation of the, 73.

Gauge, Low pressure, A new, 129.

Gill nets, Development of a preservative for, 241.

Glass fibre tape and asbestos tape, Effect of heat on breaking strength of, 56.

Glucose

- p*-nitrobenzyl-4-semicarbazone, 163.
- p*-nitrophenyl-4-semicarbazone, 162.
- p*-nitroxyenyl-4-semicarbazone, 163.

Glyoxaline (iminazole)

- 4-(or 5-)Acetylamino-, Synthesis of, 298.
- 4-(or 5-)Amino-, 296.
- dihydrochloride, 300.
- sesquicrate, 301.
- See also Diglyoxaline, Diglyoxalone.

Glyoxaline (iminazole) nucleus, A new indigoid formed from the, 305.

Glyoxalines, Urinary, Determination of, 310.

Grains, Selenium in, in Alberta, 173.

Grignard reagent, See Magnesium compounds.

Health hazards, Determination of T.N.T. (2,4,6-trinitrotoluene) in air, 86.

Heat, Effect on asbestos, 49, 56, 65.
See Temperature.

Heat-conductivity, low-pressure gauge, 129.

Heat of fusion of
eutectic mixture of *p*-nitrophenol and naphthalene, 75.
p-nitrophenol, 75.

Heat of mixing of naphthalene and *p*-nitrophenol, 75.

Helminthology, A trypsin-inhibiting fraction of *Ascaris*, 91.

Hydrazine, Preparation of *p*-nitrophenyl-4-semicarbazide by condensation of, with *p*-nitrophenylisocyanate, 160.
p-nitrophenylurea, 159.

Hydrindene

- 3,3-Diphenyl-, 287.
- 3,3-Diphenyl-2-benzyl-, 287.
- 3,3-Diphenyl-2-(*o*-methylbenzyl)-, 288.
- 3,3-Diphenyl-2-(*m*-methylbenzyl)-, 288.
- 3,3-Diphenyl-2-(*o*-methoxybenzyl)-, 288.
- 3,3-Diphenyl-2-(*p*-methoxybenzyl)-, 288.
- 3,3-Diphenyl-2-(*o*-ethoxybenzyl)-, 289.
- 3,3-Diphenyl-2-(*o*-chlorobenzyl)-, 289.
- 3,3-Diphenyl-2-(*p*-chlorobenzyl)-, 289.

Hydrindone and derivatives, Preparation and reduction of,

3,3-Diphenyl-1-, 282, 287.

Cis and trans-

- 3,3-Diphenyl-2-benzylidene-1-, 282, 287.
- 3,3-Diphenyl-2-(*o*-methylbenzylidene)-1-, 283, 288.
- 3,3-Diphenyl-2-(*m*-methylbenzylidene)-1-, 283, 288.
- 3,3-Diphenyl-2-(*o*-methoxybenzylidene)-1-, 284, 288.
- 3,3-Diphenyl-2-(*p*-methoxybenzylidene)-1-, 284, 288.
- 3,3-Diphenyl-2-(*o*-ethoxybenzylidene)-1-, 285, 289.
- 3,3-Diphenyl-2-(*o*-chlorobenzylidene)-1-, 286, 289.
- 3,3-Diphenyl-2-(*p*-chlorobenzylidene)-1-, 286, 289.

Hydrochloric acid treatment of cotton, Effect on α -cellulose content and fluidity, 64.

Hydrogen ion concentration, Effect of, on composition of precipitated carbonates and lead arsenates, 186, 203.

on inhibition of trypsin by inhibitor from *Ascaris*, 96.

Hydrogen peroxide, Oxidation with, of

- p*-aminoazobenzene, 132.
- p*-hydroxyazobenzene, 132.
- p*-nitro-*p*'-hydroxyazobenzene, 132.

5,5'-Hydroxydiglyoxaline-4, Preparation of, 307.

Iminazole, See Glyoxaline.

Indigoid, A new, formed from the glyoxaline (iminazole) nucleus, 305.

Industrial health hazards, Determination of T.N.T. (2,4,6-trinitrotoluene) in air, 86.

Isocyanic acid, *p*-nitrophenyl ester, Preparation of *p*-nitrophenyl-4-semicarbazide by condensation of hydrazine with, 160.

Isomers, Cis-trans, derived from 3,3-diphenyl-1-hydrindone, 275.

Lead arsenates, Precipitation of, 191.

Lead-silver-aluminium system, 212.

Liquidus diagram of system: aluminium-silver-lead, 212.

Lithium hydroxide, See under Alkali.

Low pressure gauge, A new, 129.

Magnesium compounds

Allyl magnesium bromide, Action on vanillin, vanillin benzoate, methoxymethyl vanillin, and veratric aldehyde, 29, 30.

Methyl magnesium iodide, Action on 4-hydroxy-3-methoxymandelamide, 151.

Mandelamide, 4-Hydroxy-3-methoxy-, and its dibenzoate, Synthesis of, 150.

Action of methyl magnesium iodide on, 151.

Mandelic acid, 4-Hydroxy-3-methoxy-, Ethyl ester, 151.

Manganese number, as criterion of purity of maple sap products, 68.

Maple sap products, Analytical problem of, 68.

Maple syrup, See Maple sap products.

Mercuric chloride, Effect of, in preservatives for gill nets, 253.

Methylene blue reduction test for bacterial populations in raw milks, Comparison with resazurin tests, 39.

Methyl magnesium iodide, Action on 4-hydroxy-3-methoxy-mandelamide and its dibenzoate, 151.

Milk, and aqueous solutions, Reduction of resazurin in, 39.

Moisture

Resorption of, by asbestos, Effect of temperature and time of heating on, 49.

Simplified apparatus for continuous extraction of, from biological materials, 116.

Molecular surface energy, System: naphthalene-*p*-nitrophenol, 78.

Molecular volume of mixtures of naphthalene-benzene, 147.

naphthalene-*p*-nitrophenol, 78.

Naphthalene

-benzene system considered as an ideal solution, 143.

-*p*-nitrophenol system: an experimental investigation of all the variables in an equation of the freezing point curve, 73.

Nets, Gill, Development of a preservative for, 241.

Nickel carbonates, Precipitation of, 185.

***p*-Nitraniline**, Preparation of *p*-nitrophenyl-4-semicarbazide by condensation of, with acetone-semicarbazone, 161.

Oils, Estimation of antioxidant activity in stabilizing vitamin A in, 17.

Oxidation

of acetaldehyde (liquid), Reaction rates of, 261.

α -hydroxy- α - γ -diphenylbutyric acid, 210.

pyrolytic distyrene, 205.

with hydrogen peroxide, of

p-aminoazobenzene, 132.

p-hydroxyazobenzene, 132.

p-nitro-*p*'-hydroxyazobenzene, 132..

Ozonization of α -vinyl acetoveratrone, 30.

Papain, Non-inhibition of, by extract from *Ascaris*, 95.

Partial miscibility, Area of, for ternary system: aluminium-lead-silver, 212.

Pasture studies

XIX. A simplified apparatus for the continuous extraction of moisture and fat from biological materials, 116.

XXI. An improved thiochrome method for the estimation of vitamin B₁, 136.

Pectic substances, See under Pectin.

Pectin

Pectic substances in cotton, 61.

content of cotton, Effect of extraction of cotton with sodium carbonate and ammonium oxalate on, 63.

Pepsin inhibitor from *Ascaris*, 91.

Pett visual test for vitamin A deficiency, Factors affecting the, 99.

Phase equilibria in the two component system, ethylene-propylene, in the critical temperature region, 231.

Phenol, *p*-Nitro-

Heat of fusion, 75.

-naphthalene system: an experimental investigation of all variables in an equation of the freezing point curve, 73.

Solid, Specific heat, 74.

Vapour pressures, 77.

Plants, Selenium in, in Alberta, 173.

Plasticizers, Use of, in preservatives for gill nets, 241.

Polystyrene, See Styrene, Polymerized.

- Potassium hydroxide**, See under Alkali.
- Preservative for gill nets**, Development of, 241.
- Pressure gauge**, Low, A new, 129.
- Propiophenone**, β -Phenyl-, Formation of, in oxidation of pyrolytic distyrene, 205.
- Propylene-ethylene system** in the critical temperature region, Phase equilibria in, 231.
- Pyrolysis** of polystyrene, 205, 208.
- Quinoline**, Further modification of Skraup's synthesis of, 318.
- Rate of reaction**,
See Reaction velocity
Reaction rates.
- Reaction rates** of the oxidation of liquid acetaldehyde, 261.
- Reaction velocity** of delignification of spruce wood by alkalis, 9.
- Reduction of**
3,3-diphenyl-1-hydrindone derivatives, 275, 287.
resazurin in milk and aqueous solutions, 39.
- Resazurin**, Reduction of, in milk and aqueous solutions, 39.
- Rubbers**, Chlorinated, Relative preservative qualities of, for gill nets, 246.
- Selenium** in soils, grains, and plants in Alberta, 173.
- Semicarbazide**
2,4-Dinitrophenyl-4', 163.
p-Nitrobenzyl-4-, 162.
p-Nitrophenyl-4-, 159.
p-Nitroxyenyl-4-, 163.
- Semicarbazides**, δ -Substituted, Contribution to the study of, I. Synthesis of some derivatives, 158.
Mechanism of formation of, 158.
- Semicarbazones**, See under Acetone and Glucose.
- Silver-aluminium-lead system**, 212.
- Silver naphthenate**, Effect of, in preservatives for gill nets, 253.
- Silver nitrate**, Effect of, in preservatives for gill nets, 253.
- Skraup's synthesis** of quinoline, Further modification of, 318.
- Sodium carbonate**
extraction of cotton, Effect on pectin content and fluidities, 63.
See under Dishwashing compounds.
- Sodium hydroxide**, See under Alkali.
- Sodium metasilicate**, See under Dishwashing compounds.
- Sodium phosphate**, See under Dishwashing compounds.
- Sodium pyrophosphate**, See under Dishwashing compounds.
- Sorption**, Effect of temperature and time of heating on resorption of moisture by asbestos, 49.
- Specific heat** of solid *p*-nitrophenol, 74.
- Sprucewood**, Mechanism of alkaline delignification of, 1.
- Styrene**,
Polymerized, Pyrolysis of, 205, 208.
Di-, Pyrolytic, Oxidation of, 205.
- 2-Sulphanilamido-thiophene**, Synthesis of, 291.
- Surface energy**, Molecular, of naphthalene-*p*-nitrophenol mixtures, 78.
- Surface tension** of
mixtures of
naphthalene-benzene, 147.
p-nitrophenol and naphthalene, 78.
p-nitrophenol, 78.
- Tape, Asbestos and glass fibre**, Effect of heat on breaking strength of, 56.
- Temperature**, Effect on
breaking strength of
asbestos cloth containing cotton, 65.
asbestos tape and glass fibre tape, 56.
loss in weight and resorption of moisture by asbestos, 49.
- Temperature, Critical**, See Critical temperature.
- Tensile strength**
Effect of heat on tensile strength of
asbestos cloth containing cotton, 65.
asbestos tape and glass fibre tape, 56.
- Ternary alloy system: aluminium-lead-silver**, 212.
- Thermal analysis** of system: aluminium-lead-silver, 212, 216.
- Thermal decomposition** of tricalcium aluminate hexahydrate, 112.
- Thermal studies on asbestos**, See under Asbestos.
- Thiamine**, Comparison of methods of extracting, from different materials, 140.

- Thiochrome method**, Improved, for the estimation of vitamin B₁, 136.
- Thiophene series**, Chemotherapeutic studies in, 291.
- Thiophene**
 (1-Acetylaminobenzene-4-sulphonamido)-2-, 291.
 (1-Aminobenzene-4-sulphonamido)-2-, See Thiophene, 2-Sulphanilamido-.
 2-Amino-, Free, Condensation with 1-acetylaminobenzene-4-sulphonyl chloride, 292.
 2-Sulphanilamido-, 291.
- T.N.T.** (2,4,6-trinitrotoluene), Determination of, in air, 86.
- o*- and *m*-Tolualdehyde**, Condensation of, with 3,3-diphenyl-1-hydrindone, 275, 283.
- Toluene, 2,4,6-Trinitro-**, in air, Determination of, 86.
- Tricalcium aluminate hexahydrate**
 Dehydration, 123.
 Preparation, 110.
 Thermal decomposition, 112.
- Trisodium phosphate**, See under Dish-washing compounds.
- Trypsin-inhibiting fraction of Ascaris**, 91.
- Urea, *p*-Nitrophenyl-**, Preparation of *p*-nitrophenyl-4-semicarbazide by condensation of, with hydrazine, 159.
- Urinary glyoxalines** (iminazoles), Determination of, 310.
- Urine analysis**
 On the determination of urinary glyoxalines (iminazoles), 310.
- Valeric acid, β -Hydroxy- β,δ -diphenyl-**, Synthesis of, 211.
- Vanillin**
 Action of allyl magnesium bromide on vanillin, the dibenzoate, and the methoxymethyl derivative, 29.
 Synthesis of 4-hydroxy-3-methoxymandelamide from, 150.
- Vapour pressures of**
 naphthalene-benzene system, 144, 146.
 naphthalene-*p*-nitrophenol system, 73.
p-nitrophenol, 77.
- Velocity constants**
 of delignification of wood by alkalis, 8.
 Reaction rates of oxidation of liquid acetaldehyde, 261.
- Velocity of reaction**, See Reaction rates, Reaction velocity.
- Veratric aldehyde**, Action of allyl magnesium bromide on, 30.
- Viscosities of**
 mixtures of naphthalene and *p*-nitrophenol, 79.
 naphthalene-benzene mixtures, 147.
- Visual test, Pett**, for vitamin A deficiency, Factors affecting, 99.
- Vitamin A**
 deficiency, Factors affecting Pett visual test for, 99.
 in oils, Estimation of antioxidant activity in stabilizing, 17.
- Vitamin B₁**, Improved thiochrome method for the estimation of, 136.
- Washing compounds, Dish-**, Effect of, on aluminum, 153.
- Wheat**, Selenium in, in Alberta, 173.
- Wheat germ**, Comparison of methods of extracting thiamine from, 140.
- Wheat-germ oil**, Efficiency of, in stabilizing vitamin A in oils against ultra-violet irradiation, 17.
- Wood**, Mechanism of alkaline delignification of, 1.
- Yeast**, Comparison of methods of extracting thiamine from, 140.
- Zinc borate**, Precipitation of, 187.

